

LUMEN surgical lamp



LUMENSurgical Lamp

Feature and Highlights



Techical parameters

•	Diameter of lighthead(mm):	700/700
•	Illumination at 1m(Lux):	180000/180000
•	Brightness control range:	0-100% stepless adjustment
•	Color Temaperature(Kelvin):	3700-5000
•	Color Rendering Index(CRI):	≥95
•	Temperature rise(Surgeon head)(°C):	≤1
•	Temperature rise(Surgical field)(°C):	≤1
•	Total Irradiance E(W/m2):	≤600+600
•	Lighting Spot Size(cm):	16-28
•	L1+L2 depth of illumination(cm):	≥130
•	Bulb Type:	LED
•	Bulb Brand:	OSRAM
•	Bulb Quantity:	80+80
•	Bulb Powe(w):	1
•	Average Bulb Life(hours):	≥80000
•	Endo light for minimal surgery	



Synchronize control of combined lamp (Double Dome)




The lampshade shell is made of high-quality aluminum alloy. The surface adopts the high-voltage electrostatic spraying process, and the imported environmentally friendly antibacterial plastic power that used to ensures that the product meets the requirements of surgical hygine.



Bulb

Using the original imported LED lamp beads from Osram, Germany, the average service life is as high as 80,000 hours, which is 40 times longer life than halogen lamps. Under the same brightness, the energy consumption of LED is only 1/10 of that of ordinary incandescent lamps and 1/2 of that of halogen lamps.






Color temperature & Illumination

Using a new type of LED cold light source, the illuminance can reach 180,000 Lux, wich can realize stepless dimming and non-multi-speed adjustment; the color temperature is in the range of 3700K-5000K, and the stepless dimming is non-multi-step adjustment. While meeting the high illuminance, adjust the lighting parameters according to the needs of different surgeons, so that the surgeon's perception of light is soft and no glint.



Color rendering index

The color rendering index is 85 to 98, which truly reflects the color of human tissues.. It is suitable for various surgical scenes and greatly reduces the visual fatigue of medical staff due to long-term operations.



Temperature rise (surgical field)

Temperature rise (surgical field): ≤1°C, this can avoid tissue drying due to high temperature and rapid blood at the wound.

LUMENSurgical Lamp

Operating handle

The meddle-mounted disinfection handle can be detached at will, the temperature resistance is more than 134°C, and the high prossure resistance is not less than 205.8kPa, which is convenient for high temperature and high pressure steam sterilization.



Other funtions

With one-key cavity mirror mode, can easily swith between standard mode and cavity mirror mode.









3403 NW 82nd Avenue, Suite 102 E. Doral, Florida 33122. USA www.hosmed-inc.com